



Fully automatic system for complex inspection tasks

Many types of rubber seals as well as precision parts made of metal or plastic, which are used in the highly sensitive areas of the automobile and aerospace industries, have to meet exceptional quality standards. With the **TAVI.02** NELA offers an extremely powerful inspection system that features 2 glass tables and which allows for a highly precise examination of the parts from all sides. In addition to this, the **TAVI.02** features an automatic part orientation identification which guarantees an efficient inspection of parts with asymmetrical sides. Its high defect resolution and its throughput of up to 36.000 parts per hour, paired with a user friendly interface make the **TAVI.02** an indispensible part of your quality control.

Your benefits:

- Process and production safety through 100% nondestructive inspection
- ◆ Real-time statistic process control allows early detection of problems in your manufacturing process
- ◆ Automatic identification of part orientation for examination of parts with asymmetrical sides
- ◆ High-performance processors for large throughput
- Automatic sorting of parts according to the criteria good, bad, undefined; sorting parameters are individually adjustable
- ◆ A large selection of sensor types allows for adjustment of the inspection system to your specific requirements



A Range of Raw Materials

As different materials have different characteristics, the defects also vary greatly. To cater to these differences **TAVI.02** is made to optically analyze a range of different raw materials including metal, plastics, rubber, ceramics and sintered parts.



Unbridled Quality Control

With sensors distributed between two tables, **TAVI.02** is the ultimate solution when a highly precise inspection of both sides of the part is important. The specially designed turning station ensures that the part is carefully turned over without damaging or in any way deforming it. The inspection of the second side of the part is performed with the same accuracy as the first and ensures no defects go unnoticed.




Differing Products - Definitive Perfection

No matter if it's rubber seals or fine-blanked parts made of metal, **TAVI.02** provides an impeccable inspection with special care taken to all of the known problemareas of each part.




Inspection Speeds

High inspection speed means high throughput and increased productivity. With a speed of up to 36.000 parts per hour **TAVI.02** ensures that no time is wasted and gives you control over your production.



NELA Visioncheck – With the user in mind

All of our inspection systems come with the advanced **VISIONCHECK** image processing and control software. As intuitive for the user as it is extensive for the engineer, it can be calibrated to detect a wide range of defects.



TAVI.02 Sensor specification

TAVI.02 can be equipped with a variety of different sensors, all with a repeatability of the measurement accuracy of $\pm 1\mu m$:

- **DIMension** Inspection of the part's dimensions with a telecentric lens and transmitted light
- **TOPside** defect detection on the upper face side
- **IN/OUTside** multihead sensors for surface inspection on all lateral surfaces
- **HEIGHTinspection** Height measurement with transmitted light and telecentric lens
- 3Dconcheck contour measurement
- **HARD/SOFT** checks whether the part is hardened through eddy currents

The **TAVI.02** Vision Inspection System offers you the most complete quality control available in the market today. The two tables make it possible to give both sides of the part an unparalleled inspection which is not possible in a one table system. **TAVI.02** is designed to inspect products which are geometrically difficult to inspect or are subject to stringent quality standards, for example sealing rings with high quality requirements.

TAVI.02 can detect several different defects such as pores, holes, breaches, impurities, flow marks, cracks, notches, burrs, chipping and scratches as well as geometrical irregularities. With a repeatability of measurement accuracy of $\pm 1\mu m$, about an eighth the width of a strand of spider web silk, it can detect evens the smallest of defects. It's optimal for inspection of parts sizes of OD 3mm - 80mm.

The speed of **36.000 parts per hour** ensures that quality inspection will never be a bottleneck in your production. After inspection the parts are sorted after your request, from just perfect or defect to different classifications such as A-Class, B-Class, C-Class etc.

Aside from the inspection system itself we offer numerous options such as environment control air filtration, different feeder options or instant remote service over NELA+ service.

TAVI.02 is, like all our products, custom built to fit your exact needs. That way you have full control from start to finish. We pride ourselves in taking care of our customers and our support staff is just as helpful as our engineers are good at finding solutions. With NELA inspection systems your quality control will be accurate, fast and reliable.

TAVI.02 at a glance

- Double glass table inspection system
- Defect inspection of top, bottom, inside, outside, and geometry
- Throughput of up to 36.000 parts per hour
- Can inspect a part range of outer diameter 3mm 80mm
- Repeatability of measurement accuracy of ± 1µm
- Dimensions approx. 2400 x 1600 x 1950 mm
- Power supply 3/N/PE 400V/50 Hz
- Compressed air 6-10 bar



With 75 years of tradition in high-precision machine manufacturing, originally as a supplier for the Graphic Arts industry, the family-owned company Brüder Neumeister GmbH located in Lahr / Black Forest is today also a leading system supplier for inspection equipment in the rubber, plastics, compound and sintered metal industry. With 200 employees, more than 5000 m² of production area, an own, independent development department for industrial image processing software, as well as a high degree of vertical integration in manufacturing, NELA makes sure that your inspection requirements will be fulfilled - today and in future, worldwide.



BRÜDER NEUMEISTER GMBH Gottlieb-Daimler-Straße 15 D-77933 Lahr Phone +49 (0) 78 21 - 58 08-0 Fax +49 (0) 78 21 - 58 08-648

see. control. automate.